

CAP Meeting
5/23/13
Notes on CSD Periodic Review Discussion

Noise

- Pipe Banging
- Maintenance Rigs
- Truck Loading/Unloading
- Underground Noises
 - Low Decibel
 - Alarms?
 - Raintree
- Rumbblings Blair Hills at Night After 10pm

Odors

- Sewer and Sulfur Odor Near Stairs at Jefferson
- H₂S Near LA College
- Basin Water Retained Odors
- General Hydrocarbon Odors
 - Ladera Heights
 - KHSP

Aesthetics

- Old Rusted Pipes
- Old Infrastructure
- Vickers II Visibility
 - Lack of Vegetation
 - Visible Pipes/Equipment
- Dead Trees/Vegetation Near Office
- Culver City Facing
 - Does Not Have Landscaping
 - Not Adequate Screening
- Dust at Stocker & Fairfax

Vibration

- Heavy Trucks/Equipment

Technological Advances

- Tenting of Drilling Rig
- Conversion by PXP to Green Technologies
- 100% Cementing of the Annulus/Require It

- Water Recycling Technologies
- Chemical Markers
- Vertical vs. Directional Well and Fracking
- Radon in Produced H2O

Specific CSD Pieces

- Seismicity
- Fracking Study Incorporated into CSD
 - Microseismicity Monitoring
 - Monitor Microseismicity on Regular Wells
- Prohibit Fracking Until Regulations are in Place
- ERP Further Reviewed
- Insurance & Bonding
- Role of the CAP & Membership

800-Number

- Include AQMD Tracking Number on Complaint Log

Other Issues

- PM on Window Sills
- Seismic Forces Study on LA County
- Baldwin Vista Health Issues
- Trucking of Fracking Chemicals Through the Community
- Disclosure of Chemicals
- Resolution of Complaints on the Complaint Log
- Dust as a Health Issue
- Added Expertise on Ground Movement by County
- Health Concerns & Cancer Risks
- Map of All Wells Top & Bottom Hole Locations
- Fund & Conduct a Health Impact Assessment with CAP Input
 - Use World Health Organization Guidelines
- Include Notification of Fracking
- Define Fracking in CSD
- Electrical Infrastructure & Fires Generated by Oil Field Demand
- Availability of Documents and Notification
- Ensure Readability and Commenting of Documents
- CSD Adaptability to Allow Quick Changes in Real Time
- Semi-Annual Ground Surveys
- More Communication from MACC Meetings
 - MACC Reports to CAP
- Stream/Broadcast CAP/MACC Meetings
- Provide Adequate Venue

- Clarify H₂S Limits in CSD
 - Items ii and iii, Page 14